


Eye terminals

Polished stainless steel – AISI 316

Technical drawing



Datatable

EYE TERMINALS														
F	R	W	M	ART. NO.	WIRE	T	B	D1	D2	L1	L2	BL/KG	KG/100	PACK
		.	.	190002	2 - 1/16"	3	12	5,5	5,5	41	24	1200	0,9	100
		.	.	190025	2,5 - 3/32"	3	12	5,5	5,5	44	27	1000	0,8	100

EYE TERMINALS

	.	.	190003	3	4	14	6,35	6,5	60	38	1300	1,3	100
	.	.	190332	1/8"	4	14	6,35	6,5	60	38	1300	1,3	100
	.	.	190004	4 - 5/32"	5	17	7,5	8,5	67	45	1700	2,3	100
	.	.	190005	5 - 3/16"	6	21	9	10,5	79	51	2400	3,9	25
		.	190055	7/32"	6	21	10,8	10,5	85	59	3600	6	25
	.	.	190006	6	8	28	12,58	13	94	64	5500	8,7	10
	.	.	190006X	6	10	28	12,58	13,2	105	64	5500	11,2	10
		.	19006310	1/4"	8	25	12,58	10	95	64	5200	8,8	10
		.	190063	1/4"	8	25	12,58	13	95	64	5200	8,5	10
		.	190063X	1/4"	10	28	12,58	13,2	105	64	5200	11	10
	.	.	190007	7 - 9/32"	9	27	14,2	13	104	70	6800	11,5	10
	.	.	190007X	7 - 9/32"	10	28	14,2	13,2	110	70	6800	13,5	10
.	.		190008D	8 - 5/16"	10	30	13	14,5	124	83	4600	13,5	10
.	.	.	190008	8 - 5/16"	10	30	16	14,5	124	83	8000	17	10
.	.	.	190008X	8 - 5/16"	12	36	16	16,5	141	83	8700	23,5	10
		.	190095	3/8"	11	35	17,8	16,3	137	89	10200	25,3	10
		.	190095X	3/8"	16	40	17,8	19,5	165	100	10200	38,1	10
	.	.	190010	10	11	35	17,8	16,3	137	89	9700	25	10
	.	.	190010BW	10	16	40	17,8	16,3	165	100	9700	38	10
	.	.	190010X	10	16	40	17,8	19,5	165	100	9700	38	10
		.	190011	7/16"	15	40	20	19,3	155,3	110	12600	37,4	10
	.	.	190012	12	15	40	20	19,3	156	105	11400	41,5	5
	.	.	190012X	12	15	42	21,4	19,3	178	120	14200	41	5
		.	190013	1/2"	15	42	21,4	19,3	178	120	13300	41	5
	.	.	190014	14	18	47	25	23	206	140	15900	75,6	5

EYE TERMINALS

			·	190016078	16 - 5/8"	20	53	28	22,5	232	160	19000	103	5
		·	·	190016	16 - 5/8"	20	53	28	26	232	160	19000	102	5
		·	·	190019	19 - 3/4"	25	65	34,5	28,5	302	200	31000	209	BULK
		·		190020	20	25	65	34,5	28,5	302	200	31000	199,8	BULK
		·	·	190022	22 - 7/8"	30	70	40,4	33	348	230	42000	314	BULK
		·	·	190026	26 - 1"	30	80	46	36	400	280	53000	425	BULK
		·	·	190028	28 - 1 1/8"	38	84	50	40,5	440	300	64000	602	BULK
			·	190030	1 3/16"	40	98	58	51	460	315	78000	846	BULK
			·	190032	32	35	94	58	49	476	335	81000	799	BULK
			·	190036	36	45	94	65	51	520	380	96900	1086	BULK

The user is responsible for choosing the proper cable diameter and for correct assembly

Note: Terminal OD. = 21,4 mm

All Blue Wave eye terminals are engraved with logo, wire size and swage depth marking for faster and easier swaging.