



Coquille

Polished stainless steel – AISI 316

Technical drawing



Datatable

COQUILLE

F	R	W	M	ART. NO.	WIRE	G	D1	D2	L1	L2	L3	T	KG/100	PACK
			•	Q620506	4-5 - 7/32"	M5	21,4	15	47	29	72	3	9,7	BULK
			•	Q620708	6-7 - 1/4"	M5	27	18	60	36	90	5	20,9	BULK
			•	Q620010	8-10 - 3/8"	M5	29	22	88	50	146	6	48,2	BULK
			•	Q620012	12	M8 (2x)	29	22	88	50	146	6	50	BULK

Suitable ball terminals:

BALL TERMINALS

F	R	W	M	ART. NO.	WIRE	D1	D2	L1	L2	FITS COQUILLE	BL/KG	KG/100	PACK
			•	620004V	4 - 5/32"	7,5	20,8	70	45	VMG 42034506	1700	3,6	20
			•	620005V	5 - 3/16"	9	20,8	77	51	VMG 42034506	2400	4,5	20
			•	620055V	7/32"	10,8	20,8	86	58	VMG 42034506	3900	6,3	20
			•	620006V	6	12,6	26,5	93	64	VMG 42034708	4500	10,5	20
			•	620063V	1/4"	12,6	26,5	93	64	VMG 42034708	4400	10,2	20
			•	620007V	7 - 9/32"	14,2	26,5	102	70	VMG 42034708	5700	13	20
			•	620008V	8 - 5/16"	16	28,5	118	83	VMG 42034010	7200	18,3	10
			•	620095V	3/8"	17,8	28,5	140	100	VMG 42034010	8500	24,1	10
			•	620010V	10	17,8	28,5	140	100	VMG 42034010	8100	23,4	10
			•	620012V	12	20	28,5	166	120	VMG 42034012	9500	31,7	5